

the **NEW**

projector ceiling mounts



Not only the projector itself is an important element in a professional installation.

Quick Installation, adjustment features and stability of the accessories are features just as important.

Audipack introduces the new generation ceiling mounts for projectors offering the new Quatro-Fix® and UTS brand related installation program.



Audipack®

It's great to have solutions...

Audipack projector ceiling mounts

the **NEW** Quatro-fix®

Quatro-Fix®, The allrounder

The Quatro-Fix® projector mount offers a maximum flexibility to set up any projector up to 20 Kg with the most complicated installation patterns.

The Quatro-Fix® ceiling mounts and the brand related mounts are equipped with a special new designed ball joint that allows to aim the projector almost effortless. The ball joint is designed in a way that the projector rotates from it's own point of gravity. That means a flexible and almost friction less adjustment.

- ▲ **Max. load 10-20 Kg**
- ▲ **Max. mounting range 440 mm**
- ▲ **Angle adjustment 15 + 15 degrees**
- ▲ **Available in grey**

Quatrofix 300 G



Flexible and large mounting range



Neatly installed cables through the tube set



Quick installation with bajonet feature (telescopic only)

the **NEW** Brand related

projector ceiling mounts **UTS series**

UTS, for projector mounts and more.

Audipack also offers brand related projector mounts combined with the **NEW** UTS

(**U**niversal **T**ube **S**et) from stock; for any brand and type up to 30 Kg.

Brand related mounts are always the perfect match that complies to manufactures installation guides and norms.

For this type of ceiling mount an additional projector or camera mount is needed to complete the set.

- ▲ **Max load 30 Kg**
- ▲ **Angle adjustment 15 + 15 degrees**
- ▲ **Combined with Brand Related pr. mounts**
- ▲ **Available in black and grey**

UTS 300 G with a Panasonic PT-L720E mount

UTS + brand related mount = the perfect solution



Quick install and release ball-joint with precision line-out



Perfect adjustment with telescopic feature (telescopic only)

Quatro-Fix® product range

Max. load



20 Kg.




10 Kg.



Ref.	QFIX-0100	QFIX-0300	QFIX-0500	QFIX-0700T	QFIX-1000T
Length	100	300	500	450-700	604-1000
Tube diameter in mm	54	54	54	54-60	54-60
Max. load in Kg	10-20	10-20	10-20	10-20	10-20
Colour in RAL	Grey 9006	Grey 9006	Grey 9006	Grey 9006	Grey 9006


Product nr. explanation:

QFIX-1000TG



Product nr. explanation:

UTS-1000TB



Universal Tube Set product range



Ref.	UTS-0300	UTS-0500	UTS-0700T	UTS-1000T
Length	300	500	450-700	604-1000
Tube diameter in mm	54	54	54-60	54-60
Max. load in Kg	30	30	30	30
Colour in RAL	Black 9005, Grey 9006			

AP/PM/EN/V1.0/2010



DISTRIBUIDOR EM PORTUGAL



R. Sá de Figueiredo 6 - C
2790-233 Carnaxide

Telef. (+351) 21 417 76 21 ♦ Fax. (+351) 21 030 00 31
Web: www.sislite.pt - email: geral.sislite@sislite.pt